EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5792	358/1.9.ccls.	US-PGPUB; USPAT	OR	ON	2008/04/25 13:44
S2	2941	358/1.13.ccls.	US-PGPUB; USPAT	OR	ON	2008/04/25 13:44
S3	2116	358/1.14.ccls.	US-PGPUB; USPAT	OR	ON	2008/04/25 13:44
S4	7753	358/1.15.ccls.	US-PGPUB; USPAT	OR	ON	2008/04/25 13:44
S5	2237	358/1.16.ccls.	US-PGPUB; USPAT	OR	ON	2008/04/25 13:45
S6	16352	S1 or S2 or S3 or S4 or S5	US-PGPUB; USPAT	OR	ON	2008/04/25 13:45
S7	56	((client or (remote adj2 (machine or computer or device or location or PC))) near5 (two-way or bi-directional or (two adj way) or bidirectional) near5 (print$3 or spooler))	US-PGPUB; USPAT	OR	ON	2008/04/25 13:51
S8	39	S6 and S7	US-PGPUB; USPAT	OR	ON	2008/04/25 13:52
S9	7	S8 and ((load near3 balanc$3) or ((job or task) near3 (balanc$3 or re-direct$3 or redirect$3 or re-rout$3 or rerout$3 or rout$3)))	US-PGPUB; USPAT	OR	ON	2008/04/25 13:54
S10	9	S8 and ((load near3 (balanc$3 or distribut$3)) or ((job or task) near3 (balanc$3 or re-direct$3 or redirect$3 or re-rout$3 or rerout$3 or rout$3 or distribut$3)))	US-PGPUB; USPAT	OR	ON	2008/04/25 13:54

S11	950	S6 and ((two-way or bi-directional or (two adj way) or bidirectional) near5 (print$3 or spooler))	US-PGPUB; USPAT	OR	ON	2008/04/25 15:22
S12	93	S6 and (two-way or bi-directional or (two adj way) or bidirectional) near5 (print$3 or spooler)) and ((job or task) near5 (rout$3 or distribut$3 or redirect $3 or load adj2 balanc$3))	US-PGPUB; USPAT	OR	ON	2008/04/25 15:26
S13	0	S6 and (two-way or bi-directional or (two adj way) or bidirectional) near5 (print$3 or spooler)) with ((job or task) near5 (rout$3 or distribut$3 or redirect $3 or load adj2 balanc$3))	US-PGPUB; USPAT	OR	ON	2008/04/25 15:26
S14	0	S6 and (two-way or bi-directional or (two adj way) or bidirectional) near5 (print$3 or spooler)) same ((job or task) near5 (rout$3 or distribut$3 or redirect $3 or load adj2 balanc$3))	US-PGPUB; USPAT	OR	ON	2008/04/25 15:27
S15	1	S6 and (two-way or bi-directional or (two adj way) or bidirectional) near5 (print$3 or spooler)) and ((job or task) near5 (rerout$3 or redistribut$3 or redirect$3 or (load adj2 balanc$3)) and (error near3 recover)	US-PGPUB; USPAT	OR	ON	2008/04/25 15:27

S16	15	S6 and (two-way or bi-directional or (two adj way) or bidirectional) near5 (print$3 or spooler)) and ((job or task) near5 ((rerout$3 or redistribut$3 or redirect$3) or (load adj2 balanc$3) or (error near3 recover))	US-PGPUB; USPAT	OR	ON	2008/04/25 15:29
S17	9231	358/1.15.ccls.	US-PGPUB; USPAT	OR	ON	2009/05/19 17:13
S18	212	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3 or chang$3 or re-direct$3 or rerout $3 or redirect$3))	US-PGPUB; USPAT	OR	ON	2009/05/19 17:16
S19	15	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3 or chang$3 or re-direct$3 or rerout $3 or redirect$3)) with (intruction or location or result)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:16
S20	32	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3 or destination or re-direct$3 or rerout$3 or redirect $3)) with (intruction or result)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:19
S21	0	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3 or (destination adj2 chang$3) or re-direct$3 or rerout$3 or redirect$3)) with (intruction or result)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:22
S22	0	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3)) with (intruction or result)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:22

S23	0	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3)) same (intruction or result)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:23
S24	5	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3))	US-PGPUB; USPAT	OR	ON	2009/05/19 17:23
S25	22	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3 or (destination near3 chang$3)))	US-PGPUB; USPAT	OR	ON	2009/05/19 17:25
S26	2	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3 or (destination near3 chang$3))) with (display or report or message)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:25
S27	2	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3 or (destination near3 chang$3))) same (display or report or message)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:27
S28	1	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3 or (destination near3 chang$3))) with result	US-PGPUB; USPAT	OR	ON	2009/05/19 17:27

S29	0	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3 or (destination near3 chang$3))) same report	US-PGPUB; USPAT	OR	ON	2009/05/19 17:30
S30	2	S17 and ((notification or notify$3 or meassage) near3 (re-rout$3or re-direct$3 or rerout$3 or redirect $3 or (destination near3 chang$3))) same (history or log)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:30
S31	0	S17 and (print$3 near3 destination) with (re-rout$3 or re-direct$3 or reout$3 or redirect$3) with (address or location) with (notification or notify or message or display)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:33
S32	0	S17 and (print$3 near3 destination) same (re-rout$3 or re-direct$3 or reout$3 or redirect$3) same (address or location) same (notification or notify or message or display)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:33
S33	4	S17 and (print$3 near3 destination) same (re-rout$3 or re-direct$3 or reout$3 or redirect$3) same (address or location)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:33
S34	0	S17 and (re-rout$3 or re-direct$3 or reout $3 or redirect$3) near3 (notification or messsage or notify$3 or log or history) with (address or location)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:38

S35	0	S17 and (re-rout$3 or re-direct$3 or reout $3 or redirect$3) near3 (notification or messsage or notify$3 or log or history) same (address or location)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:38
S36	0	S17 and ((re-rout$3 or re-direct$3 or reout $3 or redirect$3) near3 (notification or messsage or notify$3 or log or history)) same (address or location)	US-PGPUB; USPAT	OR	ON	2009/05/19 17:39
S37	5	S17 and ((re-rout$3 or re-direct$3 or reout $3 or redirect$3) near3 (notification or messsage or notify$3 or log or history))	US-PGPUB; USPAT	OR	ON	2009/05/19 17:39
S38	184999	"358"/	USPAT	OR	OFF	2009/12/12 20:41
S39	67061	"358"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:41
S40	1	S39 and ((error near3 recovery) or (cluster near3 print $3)) with (capabilities or profile) with (job adj control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:46
S41	1	S39 and ((error near3 recovery) or (cluster near3 print $3)) same (capabilities or profile) same (job adj control)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:46
S42	1	S39 and ((error near3 recovery) or (cluster near3 print $3) same (capabilities or profile) same (job adj (command or instruction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:47

S43	0	S39 and ((error near3 recovery) or (cluster near3 print $3)) same (ticket) same (job adj (command or instruction))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:49
S44	14	S39 and ((error near3 recovery) or (cluster near3 print $3)) same (job adj ticket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:49
S45	0	S39 and ((error near3 recovery) or (cluster near3 print $3)) same (job adj ticket) same (control adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:50
S46	2	S39 and ((error near3 recovery) or (cluster near3 print $3)) same capabilities same (job adj ticket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:50
S47	2	S39 and ((error near3 recovery) or (cluster near3 print $3)) same capabilit$3 same (job adj ticket)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:50
S48	0	S39 and ((error near3 recovery) or (cluster near3 print $3)) same (control adj (instruction$1 or data)) same (print adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:53
S49	66	S39 and (print adj job) same (control adj (instruction$1 or data)) same (print adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:53
S50	0	S39 and ((print adj job) near3 (redirect $3 or rerout$3 or re-direct$3 or re-rout $3)) same (control adj (instruction$1 or data)) same (print adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:54

S51	0	S39 and ((print adj job) near3 (redirect $3 or rerout$3 or re-direct$3 or re-rout $3)) same (control adj (instruction$1 or data)) same (print adj data) same (redirect$3 or rerout $3 or re-direct$3 or re-rout$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:55
S52	7	S39 and (print adj job) same ((control adj (instruction$1 or data)) near3 (receiv $3 or obtain$3 or stor $3)) same (print adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 20:55
S53	23	S39 and (send$3 near3 (control adj (instruction$1 or data))) same (print adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 21:34
S54	13	S39 and communication same (send$3 near3 (control adj (instruction$1 or data))) same ((print or image) adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 21:39
S55	12	S39 and (stor$3 near3 (control adj (instruction$1 or data))) same (send$3 near3 ((print or image) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/12 21:41
S56	67061	"358"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 18:26
S57	311	S56 and (exchang$3 near3 ((control adj (data or information)) or capabilit$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 18:29

S58	1	S56 and (exchang$3 near3 ((control adj (data or information)) or capabilit$3)) with (two-way)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 18:29
S59	6	S56 and (exchang$3 near3 ((control adj (data or information)) or capabilit$3)) with ((two-way) or direct)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 18:30
S60	18	S56 and (exchang$3 near3 ((control adj (data or information)) or capabilit$3)) same ((two-way) or direct)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 18:30
S61	10	S56 and (exchang$3 near3 ((control adj (data or information)) or capabilit$3)) same ((print or image) adj data) same((two-way) or direct)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 18:31
S62	25	S56 and ((exchang$3 or negotiat$3) near3 ((control adj (data or information)) or capabilit$3)) same ((transmit$4 or transfer$4 or send$3) near3 ((print or image) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 18:38
S63	0	S56 and ((error near3 recovery) or (cluster near3 print $3)) with ((control adj data) near3 exchang$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:02
S64	0	S56 and ((error near3 recovery) or (cluster near3 print $3)) same ((control adj data) near3 exchang$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:02

S65	0	S56 and ((error near3 recovery) or (cluster near3 print $3)) same (capabilit $3 near3 exchang$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:03
S66	5	S56 and printer with (capabilit$3 near3 exchang$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:03
S67	1	S56 and printer with (capabilit$3 near3 exchang$3) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:04
S68	0	S56 and printer same (capabilit$3 near3 exchang$3) same (control adj (data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:07
S69	1	S56 and (capabilit$3 near3 exchang$3) same (control adj (data or information))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:07
S70	232	S56 and (exchang$3 near3 (control adj (data or information)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:09
S71	80	S56 and (exchang$3 near3 (control adj (data or information))) with ((print or image) near3 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:09
S72	10	S56 and (exchang$3 near3 (control adj (data or information))) with ((send$3 or transmit $4 or transfer$4) near3 ((print or image) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:10

S73	13	S56 and (exchang$3 near3 (control adj (data or information))) same ((send$3 or transmit $4 or transfer$4) near3 ((print or image) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:11
S74	3	S56 and (capabilit$3 with (control adj (information or data)) with ((send$3 or transmit$3 or submit$4 or transfer $4) near3 ((image or print) adj data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:20
S75	6	S56 and (capabilit$3 same (control adj (information or data)) same ((send$3 or transmit$3 or submit$4 or transfer $4) near3 ((image or print) adj data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:21
S76	12	S56 and ((capabilit$3 near3 (exchang$3 or poll$3)) same ((send $3 or transmit$3 or submit$4 or transfer $4) near3 ((image or print) adj data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:26
S77	0	S56 and ((cluster adj print$3) same (capabilit$3 near3 (exchang$3 or poll $3)) same (select$3 or rout$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:28
S78	0	S56 and ((error near3 recover$3) same (capabilit$3 near3 (exchang$3 or poll$3)) same (select $3 or rout$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:29
S79	7	S56 and ((error near3 recover$3) same (capabilit$3) same (select$3 or rout$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:29

S80	68	S56 and ((capabilit$3 near3 (determin$5 or exchang$3 or poll $3)) with (select$3 or rout$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:33
S81	4	S56 and ((capabilit$3 near3 (determin$5 or exchang$3 or poll $3)) with (select$3 or rout$3) with ((print or image) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:34
S82	19	S56 and ((capabilit$3 near3 (determin$5 or exchang$3 or poll $3)) same (select$3 or rout$3) same ((print or image) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:35
S83	30	S56 and ((capabilit$3 near3 (determin$5 or exchang$3 or poll $3)) same (direct$3 or select$3 or rout$3) same ((print or image) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:35
S84	822	S56 and ((send$3 or exchang$3) near3 ((control or job) adj (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:43
S85	44	S56 and ((send$3 or exchang$3) near3 ((control or job) adj (information or data)) with (send$3 near3 ((image or print) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:45
S86	2	S56 and ((send$3 or exchang$3) near3 ((control or job) adj (information or data)) with capabilit $3 with (send$3 near3 ((image or print) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:45

S87	0	S56 and ((send$3 or exchang$3) near3 ((control or job) adj (information or data))) same capabilit $3 same (determin$5 or select$3) same (send$3 near3 ((image or print) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:48
S88	2	S56 and ((send$3 or exchang$3) near3 ((control or job) adj (information or data)) same capabilit $3 same (send$3 near3 ((image or print) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:48
S89	61	S56 and ((send$3 or exchang$3) near3 ((control or job) adj (information or data))) same (send$3 near3 ((image or print) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:49
S90	0	S56 and ((send$3 or exchang$3) near3 ((control or job) adj (information or data))) same (send$3 near3 ((image or print) adj data)) same ((cluster adj print$3) or (error adj recover$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:50
S91	8	S56 and ((send$3 or exchang$3) near3 ((control or job) adj (information or data))) same (determin$3 or select $3) same (send$3 near3 ((image or print) adj data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 19:50

12/ 15/ 2009 6:18:07 PM
C:\ Documents and Settings\ vhang\ My Documents\ EAST\ Workspaces\ 10-617480.wsp